



LIST PRICE CATALOG

2010-07

Effective July 15, 2010

1-877-624-1791

FAX 1-304-204-9101

New Customers \$1500.00 First Order
Minimum Order \$100.00
Freight allowed on \$4,000.00 Net
Terms: Net 30 Days

IRPCO, LLC
A Subsidiary of Lewis-Goetz and Company, Inc.
P. O. Box 589 -- 160 Harris Drive
Poca, WV 25159

Note: All products and sales are subject to the Terms and Conditions Included in the catalog





TABLE OF CONTENTS

CURB PUMP HOSE	Page
Softwall 4 Spiral	1
Softwall 1 Braid	2
Softwall 2 Braid	3
Steefflex™ Hardwall	4
Breakaway Connector Hoses	5
Marina Fueling Hose	6
Curb Pump Hose Couplings	7
FARM HOSE	
Farm Hose Non-UL with Static Wire	8
Farm Hose UL with Static Wire	8
STAGE II VAPOR RECOVERY	
Stage II Vapor Recovery -Balance Type	9
Stage II Vapor Recovery - Vacuum Assist	10
NOZZLES, SWIVELS AND BREAKAWAY VALVES	
Conventional	12
Truck Stop	12
Fuel Oil Delivery	12
Hose Swivels	12
Aluminum Single Plane Swivels	12
Breakaway Valves	12
General Purpose Air & Water Hose	11
Large Bore Industrial Hose Couplings	13
Red Fuel Oil Delivery Hose	14
Aircraft Fueling Hose	15
LP Gas Hose	16
TANK TRUCK HOSE	
Goodyear Black Flexwing	17
Goodyear Red Flextra	17
Goodyear Plicord Fuel Discharge Hose	17
Goodyear Flexwing Versafuel	18
Goodyear Spiraflex Vapor Recovery Hose	18
Kanaflex ST 120LT Drop Hose & Banding Sleeves	18
DEF DISPENSING HOSE	19
IRPCO STANDARD TERMS & CONDITIONS	



Curb Pump Hose



Fuel-Flo™ Softwall 4 Spiral

PART #	I.D.	O. D.	Wt. Lb.	W.P. psi	List/Ft.
1132	3/4"	1-9/64"	0.34	150	\$ 3.59
1134	1"	1-1/2"	0.57	150	\$ 6.01

Tube: Gasoline resistant Nitrile

Reinforcement: Four spirals of synthetic cord, with Static Wire.

Cover: Black Nitrile/PVC blend. Abrasion, oil, & weather resistant.

UL Listed Assemblies Available: Add \$1.50 per hose.

Coupled Lengths - Male x Male Chrome-plated Brass Couplings Or Cast Zinc Insert w/ Aluminum Ferrule externally crimped

Length	3/4"	3/4"	3/4"	1"	1"	1"
Ft.	P/N	Wt. Lbs.	List/Ea.	P/N	Wt. Lbs.	List/Ea.
8	109071	3.23	\$ 46.73	110071	5.40	\$ 76.97
8.5	109072	3.4	\$ 48.51	110073	5.68	\$ 79.94
9	109091	3.57	\$ 50.29	110091	5.97	\$ 82.94
9.5	109081	3.74	\$ 52.08	110097	6.26	\$ 85.94
10	109101	3.91	\$ 53.86	110101	6.55	\$ 88.91
10.5	109111	4.08	\$ 55.65	110103	6.84	\$ 91.88
11	109121	4.25	\$ 57.43	110111	7.13	\$ 94.89
12	109141	4.59	\$ 60.94	110141	7.70	\$ 100.79
13	109161	4.93	\$ 64.48	110161	8.27	\$ 106.83
14	109181	5.27	\$ 68.02	110181	8.84	\$ 112.77
15	109201	5.61	\$ 71.56	110201	9.41	\$ 118.77
16	109221	5.95	\$ 75.10	110221	9.98	\$ 124.74
17	109241	6.29	\$ 78.67	110241	10.55	\$ 130.06
18	109261	6.63	\$ 82.24	110261	11.12	\$ 136.03
19	109281	6.97	\$ 85.78	110281	11.69	\$ 142.00
20	109301	7.31	\$ 89.35	110301	12.26	\$ 147.97
25	109321	9.01	\$ 107.14	110341	15.11	\$ 177.83
50	109401	17.51	\$ 196.08	110801	29.36	\$ 327.10
75	109441	26.01	\$ 285.03	110751	43.61	\$ 476.37
100	109461	34.51	\$ 373.97	110901	57.86	\$ 625.64

PRICED ABOVE IN BULK PACK. ADD \$0.60 FOR INDIVIDUAL BOX

See current discount sheet for swivel add on per end

Swivel one end change last digit of part # to 2. Swivel both ends change to 5

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



Curb Pump Hose



Fuel-Flo™ Softwall 1 Braid

PART #	I.D.	O. D.	W.P. psi	List/Ft.
1110	5/8"	1"	200	\$ 3.99
1112G/R	3/4"	1-1/8"	200	\$ 4.14

Tube: Gasoline resistant Nitrile

Reinforcement: One braid of high tensile fiber with **Static Wire**.

Cover: Black Nitrile/PVC blend. Abrasion, oil, & weather resistant.

NOTE 3/4" AVAILABLE IN RED OR GREEN ONLY SPECIFY COLOR

UL Listed Assemblies Available: Add \$1.50 per hose.

Coupled Lengths - Male x Male chrome-plated brass couplings Or Cast Zinc Insert w/ Aluminum Ferrule externally crimped

Length/Ft	5/8 P/N	5/8 Wt. lbs	5/8 List/ea.	3/4 P/N	3/4 Wt. lbs	3/4 List/ea.
8	101071	3.93	\$ 54.36	102061	3.86	\$ 62.67
8.5	101063	4.1	\$ 56.54	102071	4.01	\$ 65.06
9	101083	4.27	\$ 58.69	102081	4.16	\$ 67.48
9.5	101093	4.44	\$ 60.91	102091	4.31	\$ 69.83
10	101103	4.61	\$ 63.06	102101	4.46	\$ 72.21
10.5	101113	4.78	\$ 65.24	102111	4.61	\$ 74.63
11	101123	4.95	\$ 67.42	102121	4.76	\$ 76.94
12	101143	5.29	\$ 71.73	102141	5.05	\$ 81.71
13	101163	5.63	\$ 76.03	102161	5.34	\$ 86.48
14	101183	5.97	\$ 80.39	102181	5.63	\$ 91.21
15	101203	6.31	\$ 84.73	102201	5.92	\$ 96.01
16	101223	6.65	\$ 89.06	102221	6.21	\$ 100.71
17	101243	6.99	\$ 93.39	102241	6.5	\$ 105.47
18	101263	7.33	\$ 97.73	102261	6.79	\$ 110.24
19	101283	7.67	\$ 102.06	102281	7.08	\$ 115.01
20	101303	8.01	\$ 106.40	102301	7.37	\$ 119.78
25	101313	9.71	\$ 128.07	102321	8.82	\$ 143.61
50	101333	18.21	\$ 236.42	102401	16.07	\$ 262.80
75		26.71	\$ 344.76	102471	23.32	\$ 381.98
100	101551	35.21	\$ 453.11	102501	30.57	\$ 501.16

PRICED ABOVE IN BULK PRICES. ADD \$.60 EA. FOR INDIVIDUAL BOX.

See current discount sheet for swivel add on per end

Swivel one end change last digit of part # to 2. Swivel both ends change to 5

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



Curb Pump Hose



Fuel-Flo™ Softwall 2 Braid

PART #	I.D.	O.D.	W.P. psi	List/Ft.
1120	5/8"	1"	250	\$ 4.45
1122	3/4"	1-3/16"	250	\$ 5.46
1124	1"	1-1/2"	150	\$ 6.87

Tube: Gasoline resistant Nitrile

Reinforcement: Two braids of high tensile fiber with Static Wire.

Cover: Black Nitrile/PVC blend. Abrasion, oil, & weather resistant.

UL Listed Assemblies Available: Add \$1.50 per hose.

Coupled Lengths- Male x Male Chrome-plated Brass Couplings

Length	5/8"	5/8"	5/8"	3/4"	3/4"	3/4"	1"	1"	1"
Ft.	P/N	Wt. Lbs.	List/Ea.	P/N	Wt. Lbs.	List/Ea.	P/N	Wt. Lbs.	List/Ea.
8		3.93	\$ 55.13	104031	3.67	\$ 61.88	105081	5.23	\$ 84.27
8.5		4.1	\$ 57.55	104036	3.89	\$ 64.60		5.51	\$ 87.71
9	103803	4.27	\$ 59.97	104091	4.11	\$ 67.32	105781	5.80	\$ 91.14
9.5		4.44	\$ 62.39	104097	4.33	\$ 70.04	105131	6.09	\$ 94.58
10	103103	4.61	\$ 64.80	104101	4.56	\$ 72.77	105101	6.38	\$ 98.01
10.5	103113	4.78	\$ 67.22	104111	4.78	\$ 75.49	105113	6.67	\$ 101.44
11	103123	4.95	\$ 69.64	104121	5.00	\$ 78.21	105121	6.96	\$ 104.88
12	103143	5.29	\$ 74.45	104141	5.45	\$ 83.66	105141	7.53	\$ 111.75
13	103163	5.63	\$ 79.25	104161	5.90	\$ 89.10	105161	8.10	\$ 118.61
14	103183	5.97	\$ 84.06	104181	6.35	\$ 94.55	105181	8.67	\$ 125.48
15	103203	6.31	\$ 88.86	104201	6.80	\$ 99.99	105201	9.24	\$ 132.35
16	103223	6.65	\$ 93.66	104221	7.25	\$ 105.43	105221	9.81	\$ 139.22
17	103243	6.99	\$ 98.47	104241	7.70	\$ 110.88	105241	10.38	\$ 146.09
18	103263	7.33	\$ 103.27	104261	8.15	\$ 116.32	105261	10.95	\$ 152.95
19	103283	7.67	\$ 108.08	104281	8.60	\$ 121.77	105281	11.52	\$ 159.82
20	103303	8.01	\$ 112.88	104301	9.05	\$ 127.21	105301	12.09	\$ 166.69
25		9.71	\$ 136.90	104351	11.30	\$ 154.44	105361	14.94	\$ 201.03
50		18.21	\$ 257.01	104451	22.55	\$ 290.56	105521	29.19	\$ 372.73
75		26.71	\$ 377.12	104551	33.80	\$ 426.68	105641	43.44	\$ 544.43
100		35.21	\$ 497.23	104651	45.05	\$ 562.80	105701	57.69	\$ 716.13

PRICED ABOVE IN BULK PACKS. ADD \$.60 EA. FOR INDIVIDUAL BOX.

See current discount sheet for swivel add on per end

Swivel one end change last digit of part # to 2. Swivel both ends change to 5

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



Curb Pump Hose



Fuel-Flo™ Steelflex Hardwall

PART #	I.D.	O. D.	W.P. psi	List/Ft.
1140	5/8"	1"	350	\$ 4.62
1142	3/4"	1-1/8"	350	\$ 5.17
1144	1"	1-3/8"	150	\$ 6.68

Tube: Gasoline resistant Nitrile

Reinforcement: One braid of high-tensile steel wire.

Cover: Black Nitrile/PVC blend. Abrasion, oil, & weather resistant.

UL Listed Assemblies Available: Add \$1.50 per hose.

5/8" & 3/4" Also available in Red, Yellow and Green add 25% before discount

Coupled Lengths - Male x Male chrome-plated brass couplings Or Cast Zinc Insert w/ Aluminum Ferrule externally crimped

Length	5/8"	5/8"	5/8"	3/4"	3/4"	3/4"	1"	1"	1"
Ft.	P/N	Wt. Lbs.	List/Ea.	P/N	Wt. Lbs.	List/Ea.	P/N	Wt. Lbs.	List/Ea.
8	125101	4.03	\$ 52.78	124281	4.53	\$ 59.93	123201	5.33	\$ 79.45
8.5	125121	4.24	\$ 55.10	124291	4.76	\$ 62.53	123211	5.59	\$ 82.79
9	125141	4.45	\$ 57.39	124301	4.99	\$ 65.12	123221	5.85	\$ 86.10
9.5	125171	4.66	\$ 59.68	124321	5.22	\$ 67.72	123237	6.11	\$ 89.47
10	125201	4.87	\$ 62.00	124341	5.45	\$ 70.32	123241	6.37	\$ 92.75
10.5	125221	5.08	\$ 64.26	124361	5.68	\$ 72.89	123251	6.63	\$ 96.09
11	125261	5.29	\$ 66.55	124381	5.91	\$ 75.46	123261	6.89	\$ 99.46
12	125301	5.71	\$ 71.19	124421	6.36	\$ 80.65	123301	7.41	\$ 106.08
13	125341	6.13	\$ 75.74	124441	6.81	\$ 85.82	123341	7.93	\$ 112.77
14	125381	6.55	\$ 80.31	124481	7.26	\$ 90.99	123381	8.45	\$ 119.45
15	125421	6.97	\$ 84.89	124501	7.71	\$ 96.15	123401	8.97	\$ 126.10
16	125441	7.39	\$ 89.50	124521	8.16	\$ 101.29	123421	9.49	\$ 132.75
17	125481	7.81	\$ 94.11	124561	8.61	\$ 106.46	123461	10.01	\$ 139.40
18	125501	8.23	\$ 98.72	124581	9.06	\$ 111.62	123481	10.53	\$ 146.05
19	125521	8.65	\$ 103.33	124601	9.51	\$ 116.79	123501	11.05	\$ 152.71
20	125541	9.07	\$ 107.94	124621	9.96	\$ 121.96	123521	11.57	\$ 159.36
25	125571	11.17	\$ 130.99	124651	12.21	\$ 147.79	123601	14.17	\$ 192.61
50	125561	21.67	\$ 246.23	124761	23.46	\$ 276.95	123701	27.17	\$ 358.90
75	125681	32.17	\$ 361.47	124861	34.71	\$ 406.11	123761	40.17	\$ 525.19
100	125701	42.67	\$ 476.71	124881	45.96	\$ 535.27	123781	53.17	\$ 691.47

PRICED ABOVE IN BULK PACKS. ADD \$.60 EA. FOR INDIVIDUAL BOX.

See current discount sheet for swivel add on per end

Swivel one end change last digit of part # to 2. Swivel both ends change to 5

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



Breakaway Connector Hoses



**Steelflex™ Hardwall with chrome-plated couplings
Or Cast Zinc Inserts w/ Aluminum Ferrules externally crimped**

Size	Part #	List/Each
5/8" x 8"	125781	\$ 19.16
5/8" x 9"	125821	\$ 19.60
3/4" x 8"	124021	\$ 22.62
3/4" x 9"	124041	\$ 23.02
1" x 10"	123041	\$ 33.23
1" x 12"	123061	\$ 34.50

5/8" & 3/4" Also available in Red, Yellow and Green add 25% before discount
UL Listed Assemblies Available: Add \$1.50 per hose.

See current discount sheet for swivel add on per end

Swivel one end change last digit of part # to 2. Swivel both ends change to 5

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



Marina Fueling Hose



PART #	I.D.	O. D.	W.P. psi	List/Ft.
1190G/B	3/4"	1-3/16"	200	\$ 6.15
1192G/B	1"	1-1/2"	200	\$ 8.48

Tube: Gasoline resistant Nitrile.

Reinforcement: Two braids of synthetic fiber with **Static Wire**.

Cover: Green or Blue blend of Nitrile & PVC. Abrasion, Oil, & weather resistant.

Please Specify color when ordering. Cover is Non-Marking.

Coupled Lengths - Male x Male chrome-plated brass couplings

Length	3/4"	3/4"	3/4"	1"	1"	1"
Ft.	P/N	Wt. Lbs.	List/Ea.	P/N	Wt. Lbs.	List/Ea.
25	107341	13.93	\$ 176.57	108161	17.68	\$ 255.16
35	107461	19.13	\$ 238.16	108281	24.18	\$ 339.73
40	107521	21.73	\$ 268.95	108361	33.93	\$ 382.01
50	107621	26.93	\$ 330.54	108521	40.43	\$ 466.58
60	107651	32.13	\$ 392.12	108621	46.94	\$ 551.14
75	107781	39.93	\$ 484.50	108781	56.68	\$ 677.99
100	107841	52.93	\$ 638.46	108821	72.93	\$ 889.40
125	107871	65.93	\$ 792.42	108841	89.18	\$ 1,100.81
150	107921	78.93	\$ 946.39	108861	105.43	\$ 1,312.22
200	107951	104.93	\$1,254.31	108911	137.97	\$ 1,735.04

See current discount sheet for swivel add on per end

Swivel one end change last digit of part # to 2. Swivel both ends change to 5

Red Cover with Static Wire coupled with Brass Males

PART #	I.D.	Wt. Lb.	W.P. psi	List/FT
2252S	1 1/4"	X	250	\$17.80
2256S	1-1/2"	X	250	\$18.02

This hose uses brass non-reattachable couplings. Refer to page 13



Couplings

Chrome-Plated Brass Curb Pump Hose Couplings

Male Permanent Internally Expanded:

Part #	Dash Size	Fits Hose	Hose I.D.	Thread	Socket I. D.	List/Ea.
	1/64"s			Size		
4403	-64	C	5/8"	3/4" NPT	1"	\$ 10.89
4406	-72	D, F	3/4"	3/4" NPT	1.125"	\$ 12.77
4409	-77	G	3/4"	3/4" NPT	1.203"	\$ 12.77
4412	-88	H	1"	1" NPT	1.375"	\$ 18.38
4415	-96	J, K	1"	1" NPT	1.500"	\$ 19.82

Two Piece Solid & Swivel Male Reusables:

"R" = Solid: "S" = Swivel

Part #	Dash Size	Fits Hose	Hose I.D.	Thread	Socket I. D.	List/Ea.
	1/64"s			Size		
1012-64-IBR	-64	A,B,C	5/8"	3/4" NPT	1"	\$ 12.98
1012-64-IBS	-72	A,B,C	5/8"	3/4" NPT	1"	\$ 20.12
1212-72-IBR	-72	D,E, F	3/4"	3/4" NPT	1.125"	\$ 14.28
1212-72-IBS	-72	D,E, F	3/4"	3/4" NPT	1.125"	\$ 21.36
1212-77-IBR	-77	G	3/4"	3/4" NPT	1.203"	\$ 14.56
1212-77-IBS	-77	G	3/4"	3/4" NPT	1.203"	\$ 21.84
1616-88-IBR	-88	H	1"	1" NPT	1.375"	\$ 28.06
1616-88-IBS	-88	H	1"	1" NPT	1.375"	\$ 45.73
1616-96-IBR	-96	J, K	1"	1" NPT	1.500"	\$ 28.06
1616-96-IBS	-96	J, K	1"	1" NPT	1.500"	\$ 45.73

A = 5/8" SW 1 BR
 B = 5/8" SW 2 BR
 C = 5/8" Steelflex
 D = 3/4" SW 1 BR
 E = 3/4" 4SP
 F = 3/4" Steelflex
 G = 3/4" SW 2 BR
 H = 1" Steelflex
 J = 1" SW 2 BR
 K = 1" 4SP

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



FARM HOSE

Farm Pump Hose Non-UL with Static Wire

Part #	wt/lbs/ft	Size	List/Ft.
2032HB	0.3	3/4"	\$2.21
2014HB	0.52	1"	\$3.82

Tube: Gasoline resistant Nitrile.

Reinforcement: 2 Spirals of synthetic cord with Static Wire

Cover: Black Nitrile/PVC Blend. Abrasion, Oil, & weather resistant.

Farm Pump Hose Non-UL with Static Wire Coupled Assemblies with Male Farm Barrel Couplings

Length/Ft.	3/4" P/N	3/4" List	1" P/N	1" List
8'	126701HB	\$ 21.17	126841HB	\$ 36.76
10'	126721HB	\$ 25.60	126861HB	\$ 44.38
12'	126741HB	\$ 29.96	126881HB	\$ 52.04
14'	126761HB	\$ 34.39	126901HB	\$ 59.72
16'	126691HB	\$ 38.80		\$ 67.36
20'	126751HB	\$ 47.63	126941HB	\$ 82.64
50'		\$ 113.88		\$197.20



UL FARM HOSE WITH STATIC WIRE

PART #	I. D.	O. D.	wt/lbs/ft.	List/Ft.
2020	5/8"	1"	0.27	\$2.24
2022	3/4"	1-1/8"	0.33	\$2.63
2024	1"	1-1/2"	0.55	\$4.61

Tube: Gasoline resistant Nitrile.

2 Spirals of synthetic cord with static wire.

Cover: Black Nitrile/PVC Blend. Abrasion, Oil, & weather resistant.

Coupled Assemblies with Male Farm Barrel Couplings

Length/Ft.	5/8" P/N	5/8" wt/ea	5/8" List	3/4" P/N	3/4" wt/ea	3/4" List	1" P/N	1" wt/ea	1" List
8'	12650	2.16	\$ 23.19	12670	2.64	\$ 26.63	12684	4.40	\$ 44.89
10'	12652	2.70	\$ 27.63	12672	3.30	\$ 31.94	12686	5.50	\$ 54.37
12'	12654	3.24	\$ 32.26	12674	3.96	\$ 37.17	12688	6.60	\$ 63.77
14'	12655	3.78	\$ 36.71	12676	4.62	\$ 42.53	12690	7.70	\$ 73.25
16'	12660	4.32	\$ 41.18	12675	5.28	\$ 47.70	12693	8.80	\$ 82.46
20'	12664	5.40	\$ 50.12	12678	6.60	\$ 58.08	12694	11.00	\$ 100.85
50'	12640	13.50	\$ 119.33	12685	16.50	\$135.93	12697	27.50	\$ 238.98

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



STAGE II VAPOR RECOVERY HOSE

Maxxim® Premier & Premier Plus™ UL Listed and C.A.R.B. Certified

Recommended for use with balanced Stage II vapor recovery systems where a co-axial hose assembly is required for dispensing all types of gasoline. Maxxim Premier Plus™ has a venturi evacuation system to recover accumulated fuel in the outer hose.

MUST BE PURCHASED IN CASE QUANTITIES OF 6

MAXXIM® PREMIER

Length/Ft.	Part #	wt. lbs.	List/Ea.
2'	1410	2.09	\$ 138.31
3'	1416	2.45	\$ 144.38
4'	1422	2.81	\$ 146.77
4.5'	1425	2.99	\$ 160.09
5'	1428	3.17	\$ 174.52
5.5'	1431	3.35	\$ 178.10
6'	1434	3.53	\$ 181.63
6.5'	1437	3.83	\$ 212.22
7'	1440A	4.13	\$ 214.93
7.5'	1443	4.45	\$ 215.01
8'	1446	4.73	\$ 215.84
8.5'	1449	5.03	\$ 238.65
9'	1452	5.32	\$ 255.71
9.5'	1455	5.62	\$ 270.84
10'	1458	5.91	\$ 311.96
10.5'	1461	6.21	\$ 322.15
11'	1464	6.50	\$ 332.02
11.5'	1467	6.80	\$ 342.40
12'	1470	7.10	\$ 275.57
12.5'	1473	7.40	\$ 266.80

MAXXIM® PREMIER PLUS™

Length/Ft.	Part #	wt. lbs.	List/Ea.
4.5'	1522	2.99	\$ 315.16
5'	1529	3.17	\$ 424.02
5.5'	1531	3.35	\$ 445.21
6'	1537	3.53	\$ 457.82
6.5'	1538	3.83	\$ 474.57
7'	1542	4.13	\$ 322.85
7.5'	1546	4.43	\$ 333.50
8'	1552	4.73	\$ 339.42
8.5'	1555	5.03	\$ 343.78
9'	1560	5.32	\$ 353.72
9.5'	1565	5.62	\$ 363.67
10'	1566	5.91	\$ 593.08
10.5'	1572	6.21	\$ 610.11

Construction: Flexsteel fuel carrying hose - tube Chemgum (ORS), 1 wire braid reinforcement.
Cover: Chemivic (ORS). Outer hose - black, convoluted thermoplastic - abrasion, oil/gasoline resistant. Wire Helix/yarn reinforced.

Maxxim® Premier Whip Hoses

Length	Part #	Wt. Lbs.	List/Ea.
10"	1668	1.65	\$106.26
12"	1672	1.71	\$106.26

MAXXIM® PREMIER CLAMP

Part #	Price/ea
1676	\$29.51

Maxxim Premier, Maxxim Premier Plus, Chemigum, Chemivic are registered trademarks of the Goodyear Tire & Rubber Company, Akron, Ohio, USA.

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



STAGE II VAPOR ASSIST HOSE

MUST BE PURCHASED IN CASE QUANTITIES OF 6

Goodyear FLEXSTEEL® II

Length/Ft.	3/4" P/N	wt. lbs.	List/Ea.
1'	1805	1.8	\$ 97.27
2'	1802	2.2	\$ 143.29
3'	1809	2.7	\$ 166.10
4'	1807	3.2	\$ 187.06
4.5'	1804	3.4	\$ 200.31
5'	1821	3.7	\$ 198.20
5.5'	1828	3.9	\$ 203.50
6'	1823	4.1	\$ 205.56
6.5'	1827	4.4	\$ 208.64
7'	1826	4.6	\$ 213.66
7.5'	1845	4.8	\$ 218.67
8'	1833	4.9	\$ 179.74
8.5'	1835	5.1	\$ 183.77
9'	1839	5.4	\$ 195.28
9.5'	1837	5.8	\$ 199.55
10'	1841	6.0	\$ 212.49
10.5'	1847	6.30	\$ 191.33
11'	1851	6.7	\$ 273.68
12'	1843	7.2	\$ 282.07

Goodyear FLEXSTEEL®

Length/Ft.	7/8" P/N	wt. lbs.	List/Ea.
1'	1806	1.8	\$ 101.46
2'	1808	2.4	\$ 150.84
3'	1810	2.8	\$ 174.85
4'	1819	3.3	\$ 202.97
4.5'	1818	3.5	\$ 207.90
5'	1820	3.8	\$ 212.84
5.5'	1822	4	\$ 217.77
6'	1830	4.2	\$ 222.70
6.5'	1829	4.5	\$ 227.64
7'	1831	4.7	\$ 232.57
7.5'	1832	5	\$ 237.50
8'	1834	5.4	\$ 192.81
8.5'	1836	5.7	\$ 196.72
9'	1838	6	\$ 200.62
9.5'	1840	6.4	\$ 204.99
10'	1842	6.7	\$ 196.97
10.5'	1844	7.0	\$ 200.75
11'	1846	7.4	\$ 204.61
12'	1850	8	\$ 215.26

Other lengths and swivel add ons available-please call for pricing 877-624-1791

Flexsteel® & Flexsteel® II Vapor Assist Hoses are designed for Stage II Vac. Assist Systems where a pump in the dispenser pulls the gasoline vapors away from the vehicle fill pipe during fueling. In an Assist system, the gasoline flows through the outer hose and the vapors are evacuated through the inner hose.

Construction: Inner Vapor Recovery Hose - Nylon.

Outer Product hose tube - Nitrile synthetic rubber (ORS).

Outer Product Reinforcement - One wire braid.

Outer Product Hose Cover - Hypalon.

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



General Purpose Air & Water Hose

Service Station Air Hose

Part Number	Size	WP psi	Wt./lbs.	List/Ea.
0825VFR25	1/4" X 25' M x M	300	3	\$ 23.40
12252	1/4" x 50' M x M	300	5.5	\$ 43.06
17001	3/8" x 25' M x M	300	4.75	\$ 33.31
17002	3/8" x 50' M x M	300	9	\$ 59.95

Tube: EPDM

Reinforcement: Textile Braid.

Cover: Red EPDM.

Couplings: Crimped-on Steel male pipe threads. Specify 1/4" or 3/8".

Steelflex Service Station Air Hose

Part Number	Size	WP psi	Wt./lbs.	List/Ea.
12351	1/4" X 25' M x M	250	5.22	\$ 57.09
12352	1/4" x 50' M x M	250	9.95	\$ 128.11

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



OPW SERVICE STATION EQUIPMENT

Conventional Nozzles

Description	Part #	List/Ea.
11A-LEADED	13211A0400	\$100.45
11AP-UNLEADED	13211AP0400	\$100.45
7H0400	1327H0400	\$208.63
7H5400-W/O RING	1327H5400	\$208.63

Fuel Oil Delivery Nozzles

Model	Inlet Thread	List/Ea.
190	1"	\$282.25
190	1-1/4"	\$282.25
190	1-1/2"	\$332.82
190	2"	\$593.26

Truck Stop Nozzles

Description	Part #	List/Ea.
Fuel Master 1"	210DIESEL	\$209.55
Fueler 100	210100	\$534.68

Hose Swivels

Product #	Inlet/Outlet	List/Ea.
OPW 241TPS-0241	3/4" F x 3/4" M (NPT)	\$48.13
OPW 241TPS-1000	1" F x 1" M (NPT)	\$96.23

Aluminum Single Plane Svivels - Male NPT x Female NPT

Part #	Size	List/Ea.
210AWS1010	1" x 1"	\$56.78
210AWS1414	1-1/4" x 1-1/4"	\$135.39
210AWS1515	1-1/2" x 1-1/2"	\$141.81
210AWS22	2" x 2"	\$172.65

OPW Breakaway Valves

Size	Part #	List/Ea.
3/4" x 3/4"	66V-0300	\$ 70.52
1" x 1"	66V-1300	\$ 142.29

Other sizes and styles of breakaway valves available.
Complete line of OPW nozzles & accessories available.

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



INDUSTRIAL HOSE COUPLINGS

Part Number	Size (In.)	Loose Male List/Ea.	Attached Male List/Ea.	Part Number	Loose Female List/Ea.	Attached Female List/Ea.
			w/ Ferrule			w/ Ferrule
4303	1	\$ 38.18	\$ 45.20	4304	\$ 65.24	\$ 72.25
4316	1 1/4	\$ 51.56	\$ 60.34	4318	\$ 75.59	\$ 79.83
4328	1 3/8	\$ 64.61	\$ 74.26	4330	\$ 79.92	\$ 89.57
4338	1 1/2	\$ 67.24	\$ 77.77	4340	\$ 87.71	\$ 98.23
*4352	2	\$ 88.02	\$ 100.31	*4354	\$ 121.50	\$ 133.78
*4368	2 1/2	\$ 178.66	\$ 192.71	*4370	\$ 214.10	\$ 228.13
*4382	3	\$ 215.97	\$ 240.54	*4384	\$ 339.50	\$ 364.07

*2" thru 3" Coupled w/ Stainless Steel Ferrules. Brass Ferrules available at additional cost.

Part Number	Size (in.)	Loose/Ea.	Attached/Ea.
052ST1	1/2"	\$ 4.92	\$ 15.68
052ST5	3/4"	\$ 6.54	\$ 17.26
052ST10	1"	\$ 6.76	\$ 17.49
052ST15	1-1/4"	\$ 6.82	\$ 18.45
052ST20	1-1/2"	\$ 7.58	\$ 23.69
052ST25	2"	\$ 15.20	\$ 30.99
052ST30	2-1/2"	\$ 17.29	\$ 33.40
052ST35	3"	\$ 23.66	\$ 39.79
052ST40	4"	\$ 36.65	\$ 58.13

Also available in stainless steel & with crimped-on ends. Call for pricing.

Part Number	Size	Female C	
		Loose/Ea.	Attached/Ea.
		Aluminum	Aluminum
0555CAL150	1-1/2"	\$ 17.95	\$ 31.38
0555CAL200	2"	\$ 21.30	\$ 41.96
0555CAL300	3"	\$ 32.70	\$ 55.35
0555CAL400	4"	\$ 46.69	\$ 72.26
		Male E	Male E
		Loose/Ea.	Attached/Ea.
		Aluminum	Aluminum
0555EAL150	1-1/2"	\$ 7.93	\$ 20.80
0555EAL200	2"	\$ 11.61	\$ 30.48
0555EAL300	3"	\$ 21.09	\$ 48.18
0555EAL400	4"	\$ 37.60	\$ 69.01

Also available in stainless steel & with crimped-on ends. Call for pricing.

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



Red Fuel Oil Delivery Hose

Coupled Lengths -- List Prices

I. D.	Length Ft.	Wt/Lbs.	Part # M x M	M x M List/Ea.	Part # M x F	M x F List/Ea.	Part # F x F	F x F List/Ea.
1"	100	59.2	146161	\$ 642.92	145120	\$ 680.71	145163	\$ 706.42
1"	125	73.7	145101	\$ 800.52	145102	\$ 826.31	145103	\$ 852.02
1"	150	88.2	145121	\$ 946.21	145122	\$ 971.98	145123	\$ 997.70
1-1/4"	100	73.5	146421	\$ 867.04	145152	\$ 885.39	146423	\$ 904.10
1-1/4"	125	91.5	145141	\$ 1,059.30	145142	\$ 1,077.84	145143	\$ 1,096.36
1-1/4"	135	98.7	145161	\$ 1,136.25	145162	\$ 1,154.77	145163	\$ 1,173.31
1-1/4"	150	109.5	145181	\$ 1,251.63	145182	\$ 1,270.12	145183	\$ 1,288.69
1-1/4"	175	127.5	145201	\$ 1,443.89	145202	\$ 1,462.41	145203	\$ 1,480.95
1-1/4"	200	145.5	145221	\$ 1,636.22	145222	\$ 1,654.69	145223	\$ 1,673.26
1-3/8"	100	74.7	146721	\$ 927.30	145232	\$ 941.79	145231	\$ 956.39
1-3/8"	125	93	145241	\$ 1,128.45	145242	\$ 1,142.97	145243	\$ 1,157.49
1-3/8"	135	100.3	145261	\$ 1,208.92	145262	\$ 1,223.44	145263	\$ 1,237.94
1-3/8"	150	111.2	145281	\$ 1,329.58	145282	\$ 1,344.12	145283	\$ 1,358.64
1-3/8"	175	129.5	145301	\$ 1,530.78	145302	\$ 1,545.33	145303	\$ 1,559.77
1-3/8"	200	147.7	145321	\$ 1,741.23	145322	\$ 1,746.41	145323	\$ 1,760.95
1-1/2"	100	97.1	146881	\$ 1,054.50	146882	\$ 1,073.92	146883	\$ 1,093.36
1-1/2"	125	120.8	145341	\$ 1,286.17	145342	\$ 1,393.16	145343	\$ 1,325.08
1-1/2"	150	144.5	145361	\$ 1,517.89	145362	\$ 1,537.33	145363	\$ 1,556.82

Red Fuel Oil Delivery Hose Specifications & Bulk Prices:

I.D.	O. D.	Braids	WP psi	Wt./Ft.	Part #	List/Ft.
1"	1-1/2"	2	250	0.60	2250	\$ 6.00
1-1/4"	1-51/64"	2	250	0.74	2252	\$ 7.92
1-3/8"	1-55/64"	2	250	0.75	2254	\$ 8.02
1-1/2"	2-3/32"	2	250	0.95	2256	\$ 9.49

Applications: Transfer and delivery of fuel oil and petroleum products for home delivery, commercial and industrial service.

Tube: Nitrile synthetic rubber.

Reinforcement: Two (2) braids of synthetic yarn. **NO STATIC WIRE**.

Cover: Red Chemivic™ synthetic rubber (smooth finish). Oil, abrasion, & ozone resistant.

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



Aircraft Fueling Hose

Goodyear Wingcraft™ Aircraft Fueling Hose

I. D.	W.P. psi	Wt.Ft.	Foot P/N	List/Ft.	Assembly	Assy.	Assy List
		Lbs.			50' M x M	Wt. Lbs	Ea.
					P/N		
1"	300	0.64	2110	\$ 14.28	127201	38	\$ 864.64
1-1/4"	300	0.85	2112	\$ 17.24	127531	49	\$ 1,024.09
1-1/2"	300	0.98	2114	\$ 19.56	127861	56	\$ 1,161.17
2"	300	1.40	2116	\$ 37.31	128201	78	\$ 1,967.12
2-1/2"	300	1.81	2118	\$ 40.89	128531	101	\$ 2,573.94
3"	300	2.20	2120	\$ 53.62	128861	124	\$ 3,358.30

Goodyear Wingcraft™ meets API Bulletin 1529 - Fifth Edition, 1998 - Type C, Grade 2 & NFPA Bulletin # 407 (1990 revision). *Each length is coupled, proof-tested to 600 psi and packaged with certification papers. A serial number is permanently engraved in the coupling ferrule.*

Four (4) inch hose is Non-Stock -- available as a special order item only.

Other lengths are available. Call for pricing and availability.

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



Assemblies Tested & Certified by IRPCO

Coupled Lengths - Male Pipe x Male Pipe

I. D.	Length	Wt/Lbs/Ea	WP psi	List/Each
3/4"	100'	52	350	\$ 570.11
3/4"	125'	65	350	\$ 700.07
3/4"	150'	78	350	\$ 830.02
1"	100'	63	350	\$ 653.15
1"	125'	79	350	\$ 768.35
1"	150'	94	350	\$ 958.49
1"	175'	109	350	\$ 1,125.14
1"	200'	125	350	\$ 1,277.13

LP Gas Hose - UL21 - CGA Type 1

Tube: Black Nitrile.

Reinforcement: Multiple textile spirals.

Cover: Perforated Black Neoprene.

Temperature Range: -40°F to +180°F (Note: The hose is capable of this rating, however, LP gas should never be conveyed)

Each length is coupled with special permanent male pipe couplings, pressure tested, & packaged with certification documents.

Assembly serial number is permanently engraved into coupling ferrule.

Warning! For LP use only! Do not use in anhydrous ammonia or refrigeration applications! Do NOT use male swivel couplings, screw-together reattachable fittings or any type of couplings that use O-Ring sealing surfaces!

***Other sizes and types available. Call for pricing & availability.
877-624-1791***

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



Tank Truck Hose

Goodyear Plicord® Flexwing® (Black Flexwing) Petroleum Transfer Hose

I. D.	Part #	O. D.	WP psi	Wt./Ft.	Min. Bend	List/Cut	List/100 Ft.
				lbs.	Radius	Per Ft.	Per Ft.
1-1/2"	9120	2.031"	150	0.91	4	\$ 11.20	\$ 10.18
2"	9015	2.562"	150	1.19	4.5	\$ 12.06	\$ 10.96
2-1/2"	9121	3.031"	150	1.53	5.75	\$ 17.43	\$ 15.84
3"	9016	3.562"	150	1.83	7	\$ 19.75	\$ 17.95
4"	9122	4.609"	150	2.49	10	\$ 28.14	\$ 25.58

Service: Tank truck & other petroleum product transfer applications under gravity, pressure or suction. All sizes are rated at full vacuum. Temperature rating: -35°F to 200°F

Tube: Nitrile - high oil resistant.

Reinforcement: Spiral wire helix between synthetic textile plies.

Cover: Black, Nitrile/PVC blend. Oil & weather resistant.

Goodyear Red Flextra® 100 Corrugated Petroleum Transfer Hose

I. D.	Part #	O. D.	WP psi	Wt./Ft.	Min. Bend	List/Cut	List/100 Ft.
				lbs.	Radius	Per Ft.	Per Ft.
2"	2310	2.438"	100	0.87	4"	\$ 13.89	\$ 12.63
3"	9110	3.406"	100	1.47	6"	\$ 19.75	\$ 17.95
4"	9114	4.531"	100	2.30	9"	\$ 27.57	\$ 25.06

Goodyear Red Flextra® 150 Corrugated Petroleum Transfer Hose

I. D.	Part #	O. D.	WP psi	Wt./Ft.	Min. Bend	List/Cut	List/100 Ft.
				lbs.	Radius	Per Ft.	Per Ft.
2"	2310-150	2.52"	150	1.18	4"	\$ 16.64	\$ 15.12
3"	9110-150	3.59"	150	1.99	6"	\$ 20.39	\$ 18.53
4"	9114-150	4.61"	150	2.66	9"	\$ 28.20	\$ 25.64

Service: Tank Truck or other petroleum product transfer applications under gravity, pressure or suction. All sizes rated for full vacuum. Very Flexible.

Temperature Rating: -35°F to 180°F

Tube: Nitrile. High oil resistance.

Reinforcement: Spiral plied synthetic fabric with double wire helix.

Cover: Red Wingprene, corrugated synthetic rubber with white spiral stripe.

Goodyear Plicord® Fuel Discharge Hose

I. D.	Part #	O. D.	WP psi	Wt/ft/Lbs	List/Cut	List/100 ft
2"	2370	2.438"	150	0.95	\$16.73	\$ 15.22

SOLD IN 50, 75, 100 AND 150 FT SECTIONS ONLY

Service: For discharge of petroleum based fluids in tank truck & industrial applications.

Temperature Rating: -35°F to 180°F

Tube: Nitrile. High oil resistance.

Reinforcement: Spiral plied synthetic fabric with static wires.

Cover: Black Chemivic® synthetic rubber (oil resistant).

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



Tank Truck Hose

Goodyear Flexwing Versafuel® Transfer Hose

I. D.	Part #	O. D.	Wt./Ft.	Min. Bend	List/Ft.	List/Ft.
			lbs.	Radius	Cut Lnth	100 Ft.
1"	089118VF	1.50"	0.59	2"	\$ 15.38	\$ 13.17
1 1/4"	089119VF	1.77"	0.74	3"	\$ 16.72	\$ 14.34
1 1/2"	089120VF	2.03"	0.92	4"	\$ 18.22	\$ 15.62
2"	089015VF	2.55"	1.21	5"	\$ 19.69	\$ 16.87
3"	089016VF	3.58"	1.94	7"	\$ 29.93	\$ 25.65
4"	089122VF	4.60"	2.53	10"	\$ 36.24	\$ 31.06

Service: For use in tank truck and in-plant operation to transfer diesel, biodiesel blends, B-100, ethanol blends, gasoline, oil and petroleum base products up to 60% aromatic content
 Tube: Synthetic rubber (static dissipating)
 Reinforcement: Spiral plied synthetic fabric with helix wire
 Cover: Black synthetic rubber with excellent resistance to biodiesel, ethanol, oil/ petroleum products and abrasion
 Temperature Rating: -30°F to 180°F.

Goodyear Spiraflex® Vapor Recovery Hose

I. D.	Part #	O. D.	Wt./Ft.	Min. Bend	List/Ft.	List/Ft.
			lbs.	Radius	Cut Lnth	100 Ft.
2"	2315	2.470"	0.57	3"	\$ 12.96	\$ 11.78
3"	2316	3.410"	0.68	4"	\$ 18.42	\$ 16.75
4"	2317	4.512"	0.98	7"	\$ 24.10	\$ 21.90

Service: For vapor recovery applications from tanks to transports in gasoline delivery.
 Tube: Transparent Polyurethane.
 Reinforcement: Red rigid Pliovic® helix with Static Wire.
 Cover: Transparent Polyurethane. Temperature Rating: -30°F to 150°F.

Kanaflex ST 120 LT Thermoplastic Tank Truck Drop Hose

I. D.	Part #	O. D.	WP psi	Wt./Ft.	List/Ft.
				lbs.	
2"	051120LT200	2.563"	65	1.08	\$ 18.06
3"	051120LT300	3.578"	65	1.63	\$ 23.40
4"	051120LT400	4.563"	65	2.00	\$ 32.35

Banding Sleeves for Kanaflex Drop Hose

Size	Part #	Fits Hose	List/Ft.
3"	051LT120300BS	2" & 3"	\$11.46
4"	051LT120400BS	4"	\$15.26

Note: Tolerances and ratings listed for the products above were provided by the manufacturer of those products. IRPCO assumes no responsibility for the accuracy of the data as reported by the manufacturer.

All products and sales are subject to the Terms and Conditions included in this catalog.



DEF Hose Assemblies

All hose 3/4" ID IRPCO DEF Dispensing Hose

length	end fittings	product number	list/ea al	list/ea ss
10	3/4 NPT X 3/4 NPT	08D12X1012MP12MP	\$119.95	\$132.30
12	"	08D12X12SSMALES	\$129.36	\$141.71
15	"	08D12X1215SSMALES	\$143.47	\$155.82
18	"	08D12X1812MP12MP	\$157.58	\$169.93
20	"	08D12X2012MP12MP	\$166.99	\$179.34
25	"	08D12X2512MP12MP	\$190.51	\$202.86
50	"	08D12X5012MP12MP	\$308.11	\$320.46
10	3/4 BSPP male X 3/4 BSPP male	08D12X1012BM12BM	\$119.95	\$132.30
12	"	08D12X1212BM12BM	\$129.36	\$141.71
15	"	08D12X1512BM12BM	\$143.47	\$155.82
18	"	08D12X1812BM12BM	\$157.58	\$169.93
20	"	08D12X2012BM12BM	\$166.99	\$179.34
25	"	08D12X2512BM12BM	\$190.51	\$202.86
50	"	08D12X5012BM12BM	\$308.11	\$320.46
10	3/4 NPT X 1"BSPP sw female	08D12X1012MP16BF	\$131.29	\$143.64
12	"	08D12X12MX16F	\$140.70	\$153.05
15	"	08D12X1512MP16BF	\$154.81	\$167.16
18	"	08D12X1812MP16BF	\$168.92	\$181.27
20	"	08D12X2012MP16BF	\$178.33	\$190.68
25	"	08D12X2512MP16BF	\$201.85	\$214.20
50	"	08D12X5012MP16BF	\$319.45	\$331.80
10	3/4 BSPP male X 1"BSPP sw female	08D12X1012BM16BF	\$131.29	\$143.64
12	"	08D12X1212BM16BF	\$140.70	\$153.05
15	"	08D12X1512BM16BF	\$154.81	\$167.16
18	"	08D12X1812BM16BF	\$168.92	\$181.27
20	"	08D12X2012BM16BF	\$178.33	\$190.68
25	"	08D12X2512BM16BF	\$201.85	\$214.20
50	"	08D12X5012BM16BF	\$319.45	\$331.80
10	1" BSPP sw female X 1" BSPP sw female	08D12X1016BF16BF	\$142.63	\$154.98
12	"	08D12X1216BF16BF	\$152.04	\$164.39
15	"	08D12X1516BF16BF	\$166.15	\$178.50
18	"	08D12X1816BF16BF	\$180.26	\$192.61
20	"	08D12X2016BF16BF	\$189.67	\$202.02
25	"	08D12X2516BF16BF	\$213.19	\$225.54
50	"	08D12X5016BF16BF	\$330.79	\$343.14

**NOTE: Add an A to the end of the product number for aluminum ferrules
Stainless Steel ferrules are standard**

Flexsteel Futura Ethan-All Assembly List Prices

SIZE	IRPCO PN	List Price	Pack size
3/4 X 8"	08ETH008	93.14	5
3/4 X 9"	08ETH009	96.34	5
3/4 X 1'	08ETH010	120.34	5
3/4 X 8'	08ETH080	239.71	5
3/4 X 8'6"	08ETH086	261.61	5
3/4 X 9'	08ETH090	273.76	5
3/4 X 9'6"	08ETH096	293.76	5
3/4 X 10'	08ETH100	297.86	5
3/4 X 11'	08ETH110	306.94	5
3/4 X 12'	08ETH120	312.94	5
3/4 X 13'	08ETH130	325.21	5
3/4 X 14'	08ETH140	351.21	5

IRPCO, LLC STANDARD TERMS AND CONDITIONS

CONTRACT TERMS: These Terms and Conditions are a contract of sale between IRPCO, LLC ("we", "us", "our", or "Company") and you ("Customer"), subject to the following: (i) possession of this Price Schedule is not an entitlement to purchase; and (2) acceptance of all orders is subject to final approval of the Company.

Customer agrees that this document constitutes the entire contract between the Company and Customer and that the delivery of goods referred to herein or the receipt of this document shall constitute the Customer's acceptance of these terms, regardless of any prior course of dealing, custom, usage of trade or course of performance or any other prior document exchanged. Prices and terms are subject to change without notice.

PAYMENT TERMS: All new accounts must receive approval for credit prior to any shipments being made by the Company. Net 30 days. Service charge of 1-1/2% per month, equivalent to an Annual Percentage Rate of 18%, will be applied on invoices not paid on or before due date. If Customer disputes any invoice or portion thereof, it must notify the Company in writing within 20 days of receipt of the invoice. All charges not timely disputed in writing shall be deemed to be undisputed and shall be due and payable as set forth above. Customer is not required to pay any amount reasonably disputed in good faith while an investigation is being conducted by the Company. Disputed amounts that are determined to be due and owing to the Company shall be paid by Customer within ten days of notice from the Company that an investigation has been completed and the amount is due, and no late fee will be charged if payment is made within such time. However, if it is reasonably determined by the Company that Customer has disputed the charge in bad faith or on an unreasonable basis, and Customer does not pay the full amount due within thirty days from the original invoice date, a late fee will be assessed as set forth above.

TAXES: Any sales, usage, excise, or other taxes which the Company may be required to pay or collect under any existing or future law with respect to the sale, manufacture, process, delivery, storage, use, consumption or transportation of any of the goods or services sold to Customer shall be paid by Customer. Customer shall promptly pay the amount of any such tax to the Company upon demand but may in lieu of such payment issue tax exemption certificates acceptable to the appropriate taxing authority.

PRICES: All prices, whether specified in this document or quoted in other documents or ads, shall be adjusted to the Company's prices in effect at the time of shipment. Prices shown do not include charges for special packaging which will be extra unless otherwise specified.

TRANSPORTATION; TITLE; RISK OF LOSS: All products sold F.O.B. Seller's dock. Freight will be prepaid and allowed on shipments for goods totaling \$4,000 or more, shipped via common carrier within the 48 contiguous states only. Add-ons to existing orders will be permitted to reach the freight allowance if add-ons are received prior to shipment. Partial shipments made at our discretion will be shipped prepaid and allowed if the original order qualified. Title and risk of loss will pass to Customer upon shipment of the goods by the Company.

DELAY/FORCE MAJEURE: The Company shall be excused and not liable for delay or inability for the Company to perform due to or caused by Customer's request, act of God, actions of

governmental or judicial authority that are not specifically requested by a party, equipment failure, war, terrorism, blockade, insurrection, national emergency, flood, epidemic, landslide, lightning, earthquake, drought, fire, explosion or similar cataclysmic occurrence, or due to riot, labor dispute, unavailability of materials from third parties, or other cause beyond the reasonable control of the Company.

RETURNED GOODS: Within 30 days of shipment, customers must first contact an IRPCO Account Executive and request inspection of the products before returning defective goods or non-conforming goods and follow required procedures. IRPCO products may not be returned without the Company's consent; if such consent is given, freight must be prepaid by the Customer.

A written Return Goods Authorization number (RG) must be obtained by the Customer prior to returning any material. All returned shipments must be accompanied by the Return Goods Authorization.

The Company, on acceptance of a return, shall have the option, at its sole discretion, to repair the alleged defect and return the repaired item or replace it. If the returned material is deemed to be defective within the terms of our warranty, appropriate credit will be issued or corrective action will be taken.

The minimum handling charge for returned goods will be \$15.00 or 15% of the value of the goods returned, whichever is greater. This charge covers bulk hose, adapter unions, pipe fittings, tube fittings, clamp type couplings, reusable fittings, and banded or ferruled inserts. This does not cover permanent type hose assemblies. Credit for permanent type hose assemblies depends upon salvage value and no credit will be issued for returned material which is not in salable condition or does not pass our final inspection.

WARRANTY/LIMITATION OF LIABILITY: All products are sold with manufacturer's warranty alone (if any) and the Company makes no warranty, expressed or implied. Products that are assembled by IRPCO are warranted to be free from defect in workmanship for a period of 18 months from the date of purchase or code date appearing on hose, if such period is shorter. **THE COMPANY SPECIFICALLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, FOR FITNESS FOR ANY PARTICULAR PURPOSE OR MERCHANTABILITY.** The Company makes no warranty with respect to design if the product was made in compliance with Customer's design or specifications. The Company shall bear no liability or responsibility for Customer's incorrect installation, improper use, or modification of the products, Customer's negligence or failure to maintain or inspect the products or to follow instructions.

Our liability shall not exceed the original purchase price of the product claimed to be defective, less a prorated charge for services rendered by the Company. In no event shall the Company be liable for death or injury to persons, damage to property, or for special, incidental, contingent, indirect or consequential damages or expenses arising from the use of IRPCO products, regardless of the form of the claim or cause of action (whether based in contract, negligence, strict liability, other tort or otherwise). By way of example of the foregoing limitation of liability, but without limiting in any manner its scope or application, the Company shall not be liable for all or any part of the following no matter how claimed, computed, or characterized: loss of profit or revenue, loss of operating time or production, loss or reduction of use or value of any facilities (including existing

facilities) or any portions of facilities, expense of replacement products or power, or increased costs of operations or maintenance. Customer agrees that in no event shall the Company's liability to Customer and/or its customers extend to include incidental, consequential or punitive damages resulting from use of these products, or arising out of any breach of this warranty. The Company reserves the option, in its sole discretion, to either refund the purchase price of the defective product (less the services charge noted above), issue a credit, or replace the product.

Other than those specifically set forth herein, there are no warranties that extend beyond the description of the products on the face thereof, either expressed or implied. No Company representative has authority to make any representation, promise or agreement, except as stated herein. The foregoing limitations and exclusions are intended to be effective to the maximum extent permitted by law.

SWIVEL FITTINGS NOTICE: Use of swivel fittings is becoming more common in the gasoline curb pump market. These types of fittings eliminate a number of problems in the marketplace by making it much easier to install curb pump hoses. Swivel fittings have moving parts which, by their very nature, create wear points that do not exist in static or rigid fittings. IRPCO recommends that all curb pump hose assemblies be inspected according to the Rubber Manufacturers Association guidelines and that special attention be paid to coupling slippage in swivel fittings. If slippage is detected the hose assembly should be removed from service immediately.

TOLERANCES AND RATINGS: Tolerances and ratings listed for products (including, but not limited to pressure ratings and pull force estimates) are provided by the manufacturers of those products. We do not assume any liability for the accuracy of the data as reported by the manufacturers.

INSTALLATION AND MAINTENANCE NOT INCLUDED: Unless specifically bargained for on the face of Customer's purchase order or other purchase document, we shall have no duty to install or maintain the goods or material sold to Customer.

INDEMNIFICATION: The Company shall have no duty to indemnify Customer for any reason not expressly undertaken elsewhere in the Terms and Conditions set forth herein, and in no event will we indemnify Customer for Customer's acts or negligence. Customer agrees to indemnify, defend and hold the Company (and its officers, directors, employees, and agents) harmless from and against any and all claims, demands, suits, causes of action, costs, expenses, damages and liabilities, including reasonable attorneys' fees: (i) arising from or in connection with the Customer's failure to perform any of its obligations under these Terms and Conditions; or (ii) due to injury to or death (whenever occurring) of persons, and loss or destruction of or damage to property (including loss of use) directly or indirectly arising from or connected with, or claimed to have arisen from or to have been connected with, any intentional misconduct or negligent act or omission of Customer or its officers, employees, or agents, under or in connection with goods purchased from the Company.

SECURITY INTEREST: The Company shall retain a security interest in all goods supplied to the Customer until the Company receives full payment of all amounts due and owing. The Company shall have the right to file any and all documents and take any action it deems necessary to fully establish protection of its security interest in the goods; however, the failure of the Company to file any such document shall not in any way act as a waiver of the Company's right to such security interest.

CHOICE OF LAW: In the event of any dispute between the Customer and the Company, the laws of the Commonwealth of Pennsylvania shall govern the rights and duties of all parties.