

495 AIRCRAFT FUELING NOZZLE

Standard features include a 100 mesh tube strainer, a dust cap assembly and a 6½' static discharge ground wire. 1¼" and 1½" models have an aluminum discharge tube with a knurled area for hand assembly; the 1" model has a brass tube standard. Dashpot construction ensures smooth opening, shock-proof closure, and maximum flow.

WARNING: This is a non-automatic nozzle with a manually operated latch which will not shut-off automatically. Use should be limited to applications sanctioned by OSHA, State Fire Marshal Codes, and other appropriate regulating bodies and/or safety codes.

HIGHLIGHTS

• Patent number 3,285,564.


MATERIALS

• Body: cast aluminum.

• Stem: stainless steel.

Packing: PTFE - impregnated graphite.

Discs: fluorocarbon.



| | Model | Inlet Size | | Outlet Size | | Weight | |
|---|----------|------------|-------|-------------|-------|--------|------|
| | | In | | In | mm | Lbs | Kg |
| | 49540001 | 1.50 | 38.30 | 1.50 NPT | 38.30 | 6.50 | 3.00 |
| ì | 49540101 | 1.25 | 31.90 | 1.25 NPT | 31.90 | 5.30 | 2.40 |
| | 49540201 | 1.00 | 25.50 | 1.25 NPT | 31.90 | 4.15 | 1.90 |

495 REPLACEMENT PARTS

| Downt | 495-400-01 | 495-401-01 | 495-402-01 | 495-404-01 | |
|----------------------------|------------|------------|------------|--------------------------|--|
| Part | Model | Model | Model | Model | |
| Spout | 495-210-01 | 495-211-01 | 495-112-01 | 495-210-01 | |
| Strainer | 495-208-01 | 495-125-01 | 495-204-01 | | |
| Dust cap assembly | 495-105-01 | 495-106-01 | 495-111-01 | <mark>495-10</mark> 5-01 | |
| Ground wire assembly | 495-107-01 | 495-107-01 | 495-107-01 | 497-107-01 | |

| Model | Description |
|----------|---|
| 49512001 | 1½" aluminum tube and brass strainer assembly |
| 49512002 | 1½" tube and strainer assembly, brass |
| 49512201 | 11/4" aluminum tube and brass strainer assembly |